

according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

## 1 Identification

**Product Name: DASCO PINE-X** 

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Liquid soap and disinfectant

**Details of Manufacturer or Importer:** 

DASCO Pty Ltd 24 - 26 Helen Street

Heidelberg Heights VIC 3081 **Phone Number:** (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

# 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Aquatic Acute 2 H401 Toxic to aquatic life.

## Signal Word Danger

#### **Hazard Statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

# according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

**Product Name: DASCO PINE-X** 

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER/or P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures** 

**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	Hazardous Components:		
CAS: 68585-34-2	Poly(oxy-1,2-ethanediyl), α-sulfo-ω-hydroxy-, C10-16-alkyl ethers, sodium salts	<20%	
	♦ Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319		
CAS: 8002-09-3	Pine oil	<15%	
	Aspiration Hazard 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319; Skin Sensitisation 1, H317; STOT SE 3, H335; Flammable Liquids 4, H227		
CAS: 9016-45-9	Nonylphenol, ethoxylated	<15%	
	Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319		
CAS: 68603-42-9	Amides, coco, N,N-bis(hydroxyethyl)	<5%	
	Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319; Aquatic Chronic 3, H412		
CAS: 26172-55-4	3(2H)-Isothiazolone, 5-chloro-2-methyl-	<1%	
	♦ Skin Sensitisation 1A, H317		
Non Hazardous C	Components:	·	
Green dye (non-ha	azardous)	<1%	

## **4 First Aid Measures**

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### Skin Contact

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

## **Eye Contact:**

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

## Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

# Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

(Contd. on page 3)

according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

**Product Name: DASCO PINE-X** 

(Contd. of page 2)

# **5 Fire Fighting Measures**

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

# **Specific Hazards Arising from the Chemical:**

No hazardous decomposition products known.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

## **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## **6 Accidental Release Measures**

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

## Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

# 7 Handling and Storage

## **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

## **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents and acids.

## 8 Exposure Controls and Personal Protection

# **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

**Respiratory Protection:** Respiratory protection is not required under normal use conditions.

## Skin Protection:

Chemical resistant protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

**Product Name: DASCO PINE-X** 

(Contd. of page 3)

#### **Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

# 9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: Green

Odour: No information available
Odour Threshold: No information available

**pH-Value:** 7.0-8.0

Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Flash Point:

No information available
No information available

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: 1.0

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available

# 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: No hazardous decomposition products known.

# 11 Toxicological Information

### **Toxicity:**

### **Acute Health Effects**

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

### Carcinogenicity:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

# according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

**Product Name: DASCO PINE-X** 

(Contd. of page 4)

Coconut oil diethanolamine condensate is classified by IARC as Group 2B - Possibly carcinogenic to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

# 12 Ecological Information

## **Ecotoxicity:**

## Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Toxio to aquatio mo with long labiling official.		
CAS: 9016	-45-9 Nonylphenol, ethoxylated	
EC50	12.2-17 mg/l (Daphnia magna (water flea))	
LC50/96 h	1-9.7 mg/l (Lepomis macrochirus (bluegill))	
CAS: 68603-42-9 Amides, coco, N,N-bis(hydroxyethyl)		
EC50/48 h	4.2 mg/l (Daphnia magna (water flea))	
LC50/96 h	3.6 mg/l (fish)	

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

# 13 Disposal Considerations

# **Disposal Methods and Containers:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number** 

ADG, IMDG, IATA UN3082

**Proper Shipping Name** 

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Pine oil)

**Dangerous Goods Class** 

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

**EMS Number:** F-A,S-F

Hazchem Code: •3Z

(Contd. on page 6)

# according to WHS Regulations

Print date: 26.09.2023 Revision date: 19.09.2023

**Product Name: DASCO PINE-X** 

(Contd. of page 5)

**Special Provisions:** 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Excepted quantities (EQ): E1
Limited Quantities: 5 L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

**Provisions:** TP1, TP29

# 15 Regulatory Information

## **Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

# Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

# 16 Other Information

**Date of Preparation or Last Revision: 19.09.2023** 

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

# Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Skin Sensitisation 1A: Skin sensitisation, Hazard Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

# Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.