

according to WHS Regulations

Print date: 22.01.2024

Revision date: 19.01.2024

1 Identification

Product Name: ELIMINATE

Other Means of Identification: Mixture

Other Name: Acidic mixture containing surfactant

Recommended Use of the Chemical and Restriction on Use: Acid/detergent sanitiser

Details of Manufacturer or Importer:

DASCO Pty Ltd 24-26 Helen Street Heidelberg Heights VIC 3081

Phone Number: (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Skin Corrosion/Irritation 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.



Acute Toxicity (Oral) 4H302 Harmful if swallowed.Acute Toxicity (Inhalation) 4H332 Harmful if inhaled.

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed. H332 Harmful if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary Statements

i recautionary ota	
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection / face protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

according to WHS Regulations

Print date: 22.01.2024

Product Name: ELIMINATE

Revision date: 19.01.2024

(Contd. of page 1)

P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 7664-38-2	Phosphoric acid	
	Skin Corrosion/Irritation 1B, H314; () Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332	
CAS: 79-14-1	Glycolic acid	10-30%
	Skin Corrosion/Irritation 1B, H314; () Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1-2 glasses of water to drink in small sips. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation, laboured breathing and shortness of breath. May cause unconsciousness and pulmonary oedema.

Skin Contact: Causes severe skin burns, redness and blisters.

Eye contact: Causes serious eye damage, redness and blurred vision.

Ingestion: Harmful if swallowed. May cause irritation or burns to the mouth, throat and gastrointestinal system. May cause abdominal cramps, nausea, vomiting, intense thirst, shallow breathing, weakness, confusion, weak and rapid pulse reduced urine output, burns to the stomach and intestines, haemorrhaging and permanent tissue destruction of the oesophagus and digestive tract. May cause unconsciousness and death.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and oxides of phosphorous.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses. HAZCHEM Code: 2X

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

according to WHS Regulations

Print date: 22.01.2024

Revision date: 19.01.2024

Product Name: ELIMINATE

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area using soda ash or powdered limestone.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from bases and active metals.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 7664-38-2 Phosphoric acid

WES STEL: 3 mg/m³ TWA: 1 mg/m³

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved combination particulate and vapour respirator (Filter Type A/P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

according to WHS Regulations

Print date: 22.01.2024

Product Name: ELIMINATE

Revision date: 19.01.2024

(Contd. of page 3)

9 Physical and Chemical Properties

Form:Frothing liquidColour:OrangeOdour:Almost odourless
Odour: Almost odourless
Odour Threshold: No information available
pH-Value: <2
Melting point/freezing point: No information available
Initial Boiling Point/Boiling Range: >100 °C
Flash Point: No information available
Flammability (solid, gas): Not applicable
Auto-ignition Temperature: No information available
Decomposition Temperature: No information available
Explosion Limits:
Lower: No information available
Upper: No information available
Vapour Pressure: No information available
Relative Density: 1.329
Vapour Density: No information available
Evaporation Rate: No information available
Solubility in Water: Miscible
Partition Coefficient (n-octanol/water): No information available
Viscosity: No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur. Reacts violently with bases. May be corrosive to metals. Contact with carbonates may generate carbon dioxide. Contact with metals may generate flammable hydrogen gas.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Bases and active metals.

Hazardous Decomposition Products: Oxides of carbon and oxides of phosphorous.

11 Toxicological Information

Toxicity:				
LD50/LC50 Values:				
CAS: 7664-38-2 Phosphoric acid				
Oral	LD50	1,530 mg/kg (Rattus norvegicus (rat))		
	LD50	2,740 mg/kg (Oryctolagus cuniculus (rabbit))		
Inhalation	LC50/1 h	>850 mg/m³ (Rattus norvegicus (rat))		
CAS: 79-14-1 Glycolic acid				
Oral	LD50	1,950 mg/kg (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation:

Harmful if inhaled. May cause respiratory irritation, laboured breathing and shortness of breath. May cause unconsciousness and pulmonary oedema.

according to WHS Regulations

Print date: 22.01.2024

Product Name: ELIMINATE

Revision date: 19.01.2024

(Contd. of page 4)

Skin: Causes severe skin burns, redness and blisters.

Eye: Causes serious eye damage, redness and blurred vision. **Ingestion:**

Harmful if swallowed. May cause irritation or burns to the mouth, throat and gastrointestinal system. May cause abdominal cramps, nausea, vomiting, intense thirst, shallow breathing, weakness, confusion, weak and rapid pulse reduced urine output, burns to the stomach and intestines, haemorrhaging and permanent tissue destruction of the oesophagus and digestive tract. May cause unconsciousness and death.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met. This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged skin contact may lead to irritation and burns. Exposure to phosphoric acid may affect the blood, liver and bone marrow.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 7664-38-2 Phosphoric acid

EC50 270 mg/l (Activated sludge)

EC50/48 h >100 mg/l (Daphnia magna (water flea))

EC50/72 h >100 mg/l (Scenedesmus subspicatus (green algae))

LC50/96 h 138 mg/l (Gambusia affinis (mosquito fish))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

according to WHS Regulations

Print date: 22.01.2024

Product Name: ELIMINATE

Revision date: 19.01.2024

(Contd. of page 5)

14 Transport Information

UN Number ADG, IMDG, IATA	UN1760	
Proper Shipping Name ADG, IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Glycolic acid, PHOSPHORIC ACID, SOLUTION)	
Dangerous Goods Class ADG Class:	8	
Packing Group: ADG, IMDG, IATA	II	
EMS Number:	F-A,S-B	
Hazchem Code:	2X	
Special Provisions:	274	
Excepted quantities (EQ): E2		
Limited Quantities:	1 L	

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 19.01.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity – Category 4 Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Dis claime an

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

www.msds.com.au