

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

1 Identification

Product Name: MAXI RELEASE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Alkali detergent

Details of Manufacturer or Importer:

DASCO Pty Ltd
24 - 26 Helen Street
Heidelberg Heights VIC 3081

Phone Number: (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Corrosion

Skin Corrosion/Irritation 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary Statements

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection / face protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

Product Name: MAXI RELEASE

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 1310-73-2	Sodium hydroxide	☞	Skin Corrosion/Irritation 1A, H314; ☞	STOT SE 3, H335	30%
----------------	------------------	---	---------------------------------------	-----------------	-----

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:**Inhalation:** May cause respiratory irritation, coughing, burning sensations, laboured breathing, sneezing, sore throat and runny nose.**Skin Contact:** Causes severe skin burns and ulcerations.**Eye Contact:** Causes serious eye damage, redness, pain and blurred vision. May cause permanent impairment of sight.**Ingestion:** Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, vomiting, occasionally bloody diarrhoea, drop in blood pressure, heart failure, coma and death.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of sodium.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2R

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

Product Name: MAXI RELEASE

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours and mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Do not store on structures made of wood or glass. Protect from direct sunlight. Keep away from acids, acidic salts, ammonium compounds and metals.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 1310-73-2 Sodium hydroxide**WES | Peak limitation: 2 mg/m³**Engineering Controls:**

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved particulate respirator (Filter type P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:**Form:**

Liquid

Colour:

Clear

Odour:

Slightly sweetish

Odour Threshold:

No information available

pH-Value:

approx. 14

Melting point/freezing point:

No information available

Initial Boiling Point/Boiling Range:

>100 °C

Flash Point:

No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

Product Name: MAXI RELEASE

(Contd. of page 3)

Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 20 °C:	23 hPa
Relative Density at 20 °C:	approx. 1.3
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Highly alkaline solution - will react violently with acids. May react vigorously or violently with acidic salts. Contact with active metals such as aluminium, tin or zinc may generate flammable hydrogen gas. Contact with ammonium salts may generate ammonia, a toxic gas. Will attack wood and wood products, such as particle board, masonite and cardboard. May attack glass on prolonged contact.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight. Storage on structures made of wood or glass.

Incompatible Materials: Acids, acidic salts, ammonium compounds and metals.

Hazardous Decomposition Products: Oxides of sodium.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:****CAS: 1310-73-2 Sodium hydroxide**

Oral	LD50	1,350 mg/kg (Rattus norvegicus (rat))
------	------	---------------------------------------

Acute Health Effects**Inhalation:**

May cause respiratory irritation, coughing, burning sensations, laboured breathing, sneezing, sore throat and runny nose.

Skin: Causes severe skin burns and ulcerations.

Eye:

Causes serious eye damage, redness, pain and blurred vision. May cause permanent impairment of sight.

Ingestion:

Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, vomiting, occasionally bloody diarrhoea, drop in blood pressure, heart failure, coma and death.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.
This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

Product Name: MAXI RELEASE

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** Repeated light skin contact may lead to dermatitis.**Existing Conditions Aggravated by Exposure:** No data available.

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 1310-73-2 Sodium hydroxide

EC50/48 h	40.4 mg/l (Daphnia magna (water flea))
LC50/96 h	125 mg/l (Gambusia affinis (mosquito fish))
	45.4 mg/l (Oncorhynchus mykiss (rainbow trout))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA** UN1824**Proper Shipping Name****ADG, IMDG, IATA** SODIUM HYDROXIDE SOLUTION**Dangerous Goods Class****ADG Class:** 8**Packing Group:****ADG, IMDG, IATA** II**EMS Number:**

F-A,S-B

Hazchem Code:

2R

Excepted quantities (EQ): E2**Limited Quantities:**

1 L

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 22.11.2023

Revision date: 22.11.2023

Product Name: MAXI RELEASE

(Contd. of page 5)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 22.11.2023

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.