

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

1 Identification

Product Name: TANK KLENZ

Other Means of Identification: Mixture
Other Name: Aqueous solution of surfactants

Recommended Use of the Chemical and Restriction on Use: As a cleaner for bulk milk tanks

Details of Manufacturer or Importer:

Dasco Pty Ltd 24-26 Helen Street,

Heidelberg Heights VIC 3081 **Phone Number:** 03 9459 7004

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Corrosion

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary Statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated

<10%

Serious Eye Damage/Irritation 1, H318; Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

Product Name: TANK KLENZ

(Contd.	of	page	1)

	(Oortus.	oi pago i,
CAS: 7758-29-4	Triphosphoric acid, pentasodium salt	<5%
CAS: 7601-54-9	Trisodium phosphate	<5%
	♦ Skin Corrosion/Irritation 1B, H314	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause irritation to the upper respiratory system.

Skin Contact: Causes skin irritation and redness.

Eye Contact: Causes serious eye damage and redness.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration into the lungs during swallowing or vomiting may lead to chemical pneumonitis and pulmonary oedema.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and phosphorus and traces of hydrogen chloride.

Product is not flammable. Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

(Contd. on page 3)

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

Product Name: TANK KLENZ

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect containers from physical damage. Protect from direct sunlight. Keep away from oxidising agents and acids.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls:

Ensure adequate ventilation of the working area. If handling industrial quantities, or if vapour/aerosol risk exists, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour as low as possible.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitryle, neoprene or natural rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid

Colour:Clear, almost colourlessOdour:Slight detergent smellOdour Threshold:No information available

pH-Value: Slightly alkaline

Melting point/freezing point: No information available

Initial Boiling Point/Boiling Range: >100 °C
Flash Point: Not applicable

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

Product Name: TANK KLENZ

(Contd. of page 3)

Flammability: Product is not flammable.

Auto-ignition Temperature: Not applicable

Decomposition Temperature: No information available

Explosion Limits:

Lower:Not applicableUpper:Not applicableVapour Pressure:23 hPa (Water)Density:1.0 g/cm³

Relative Density:

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available
No information available
Miscible in all proportions

Solvent separation test:

VOC: <1 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen and phosphorus and traces of hydrogen chloride.

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:

CAS: 7758-29-4 Triphosphoric acid, pentasodium salt

Oral LD50 3900 mg/kg (rat)

Acute Health Effects

Inhalation: May cause irritation to the upper respiratory system.

Skin: Causes skin irritation and redness.

Eye: Causes serious eye damage and redness.

Ingestion:

May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration into the lungs during swallowing or vomiting may lead to chemical pneumonitis and pulmonary oedema.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

Product Name: TANK KLENZ

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated or prolonged skin exposure may cause irritation or dermatitis.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information: No data available.

12 Ecological Information

Ecotoxicity: No data available on finished product.

Aquatic toxicity:

May be harmful to the aquatic environment. This product contains phosphates which may contribute to the development of algal blooms.

Persistence and Degradability: This product is not considered to be readily biodegradable.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 12.03.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

according to WHS Regulations

Printing date 15.03.2021 Revision: 12.03.2021

Product Name: TANK KLENZ

(Contd. of page 5)

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - oral - Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B Skin Corrosion/Irritation 2: Skin corrosion/irritation - Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation - Category 1

Data altered compared to the previous version:

Section 2: Hazardous Nature, Hazard Statements, Precautionary Statements

Section 4: Symptoms caused by Exposure

Section 6: Personal Precautions, Protective Equipment and Emergency Procedures

Section 8: Skin Protection

Section 11: Acute Health Effects

Section 12: Aquatic toxicity

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Dasco Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.