

### 2019 FOOTWEAR RANGE



Proven Reliability and Performance in Footwear www.skellerup.co.nz



## www.skellerup.co.nz

# Waterproof Footwear Skellerup has been supplying New Zealand industry with high quality, genuine, hand lasted footwear for over 75 years. Ever since New Zealand's first rubber gumboot, the original "Marathon" emerged from the vulcaniser on September 9, 1943, Skellerup has set about creating a standard for waterproof footwear, not just here but around the world. Skellerup gumboots are hand built with you in mind Every Skellerup boot is hand built to meet exacting specifications and incorporates multiple components before the finished product is vulcanised using heat and pressure. Our range of gumboots offer heat resistant rubber soles, excellent slip and puncture resistance, and are custom designed for a specific fit and suited to a range of applications, climates and terrains.



### RED BAND A KIWI ICON

Look outside a farmer's back door and chances are you'll find a pair of Red Bands. You can bet they've been around a while — you see we've been building Red Band gumboots since 1958.

Red Bands aren't flimsy, floral, wear-to-the-mall boots – they're a true New Zealand icon – tough, tried and tested. The boots Kiwis know and trust.





### Red Band®

The original Kiwi icon; calf length boot with cleated sole; built-in rubber foam cushioned innersole.

**Sizing:** 4-14 **Codes:** FRR104 – FRR114



### 4x4 Power

High performance calf length boot built for extra comfort and protection; removable cushioned PU innersole; ribbed protection panels; mud grip sole.

**Sizing:** 4-13 **Codes:** FRF004 – FRF013



### **Quatro Insulated Calf**

Ergonomically designed to lock in the foot and prevent heel slip; fully clad UV resistant natural rubber upper; elasticated top bind; 4mm CR-foam insulation; Quatro Comfort System innersole; cushioned rubber midsole; high abrasion cupped rubber outsole with tapered mud-release cleats.

Sizing: 2-14 Codes: FRQ202 - FRQ214

### **CALF GUMBOOTS**



### Hiker

Lace-up rubber boot; waterproof padded tongue; built-in rubber foam cushioned innersole; "Octopus" suction grip sole.

**Sizing:** 4-12 **Codes:** FRL124 - FRL132



### Ashley

Calf length lace-up rubber boot; waterproof tongue gusset; built-in rubber foam cushioned innersole; calendered sole.

Sizing: 5-13 Codes: FRA155 - FRA163



### **Ashley Safety**

Calf length lace-up rubber boot; waterproof tongue gusset; steel toe and oil and acid resistant moulded sole.

Standards: AS/NZS 2210.3





### **Orthotic Innersole**

Anatomically designed 8mm polyurethane innersole with arch support for supreme comfort; minimises foot and joint pain from prolonged standing on hard surfaces; suitable for all types of footwear.

Sizing: 3-5, 6-8, 9-11, 12-14 Codes: FMI723, FMI726, FMI729, FMI732



#### **Boot Remover**

Designed to aid boot removal; made from durable polypropylene.

Code: FSC775



### **Quatro Innersole**

Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support, shock absorbing Politec® heel pads.

Sizing: 3-5, 6-8, 9-11, 12-14

Codes: FMI223, FMI226, FMI229, FMI232



### 10mm felt innersole made in

New Zealand from wool for warmth and comfort; ideal for use in gumboots. For women's sizing order two sizes smaller.

**Sizing:** 4-14 Codes: FMI904 - FMI914

## **ACCESSORIES**



All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

**Sizing:** 2-5, 6-10, 11-13

Codes: FMS527, FMS525, FMS526



Specifically designed for use with gumboots. Strategically positioned Elastic Support System (ESS) to prevent sock ride down.

Sizing: 2-5, 6-10, 11-13 Codes: FMS510 - FMS512



Ideal for use in insulated boots, ergonomically designed with the Elastic Support System (ESS) to prevent sock ride down.

Sizing: 2-5, 6-10, 11-13 Codes: FMS500 - FMS502



#### **Quatro Insulated Knee**

Tall style of the Quatro Insulated Calf with the same features of warmth, comfort and cushioning. Ergonomically designed to lock in the foot and prevent heel slip.

**Sizing:** 2-14 Codes: FRQ302 - FRQ314



Like the Red Band, a proven performer; tall knee-length boot with a cleated sole; built-in rubber foam cushioned innersole.

**Sizing:** 4-15 Codes: FRP124 - FRP135



### **Quatro Light**

UV resistant natural rubber upper; lightweight, fast-drying, anti-microbial and anti-fungal lining; high abrasion resistant, cupped rubber outsole with tapered mudrelease cleats; second band for trimming to calf length.

**Sizing:** 2-14 Codes: FRQ722 - FRQ734



Tall knee-length style of the 4x4 Power with the same added comfort and protection. Removable cushioned PU innersole.

**Sizing:** 4-13 Codes: FRF104 - FRF113



### **Quatro Safety Insulated Knee**

Proven UV resistant rubber shell; full foam insulation; penetration resistant midsole; oil, acid, heat and electrical hazard resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345,

ASTM F2413-11

**Sizing:** 6-13 Codes: FQS606P - FQS613P



**Viking Safety** 

Hard-wearing, knee length, leg trimming guide, anti-microbial lining, steel toe, antislip, oil and acid resistant nitrile rubber sole.

Standards: AS/NZS 2210.3

Sizing: 5-14 Codes: FVS105 - FVS114

## NEW New Zealand Standard

### **Quatro Safety Non Insulated Knee**

All the features of the Quatro Light with a steel toe, penetration resistant steel midsole and oil, acid, heat and electrical hazard resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345 ASTM F2413-11

**Sizing:** 6-14

Codes: FQS706P - FQS714P

### **KNEE GUMBOOTS**



Type 3 structural rubber Firefighting boot. The Firefighter Extreme provides unrivalled protection, assurance and comfort.

Standards: AS/NZS 2210.3, AS/NZS 4821 Codes: FSF803 - FSF815 **Sizing: 3-15** 

### Safety

All Skellerup safety footwear is approved to International standards and many products carry multiple certifications.

### **Innovation and Design**

Innovation is a key focus in producing reliable products that deliver the performance demanded by the ever-changing environments and needs of our customers. This has resulted in Skellerup winning several prestigious design awards over the years.



## www.redband.co.nz





### Red Band® Women/Youth

Incorporating all the features and benefits of the original Red Band but made for more slender feet; calf length, with a cleated sole; built-in rubber foam cushioned innersole.

**Sizing:** 3-9 Codes: FRR203 - FRR209



### Perth Women/Youth

All the features and benefits of the original Perth boot, for smaller feet; knee length, with a cleated sole; built-in rubber foam cushioned innersole.

Codes: FRY143 - FRY148 **Sizing:** 3-8



### Red Band® Children

Incorporating all the features of the original Red Band. Built specifically to suit children's feet and calves.

Sizing: Children 9-2 Codes: FRR009 - FRR015



### Red Band® Junior

Lightweight construction and a low heel provide extra stability for younger children; quick drying polyester lining and 3mm sponge foam innersole.

Sizing: Children 3c-8 Codes: FRR003-FRR008



### Terranova Women/Youth

A general-purpose rubber boot for all the odd jobs around the farm; knee length; ultra lightweight.

Codes: FRT186 - FRT192 Sizing: 3-9



### Red Band® Children

Internal cushion knit comfort provides luxurious support; high stretch cuff for ease of movement; full cushioning throughout.

Sizing: 5-8, 9-12, 13-3 Codes: FMS515, FMS513, FMS514

## WOMEN'S, YOUTH & CHILDREN'S GUMBOOTS



#### Children's Pink

Lightweight, fast-drying linings and 3mm sponge foam innersole for underfoot comfort.

Sizing: Children 3c-8, 9-13, 1-3 Codes: FTP203 - FTP216



#### Children's Red

Textured upper, lightweight, fast-drying linings and 3mm sponge foam innersole for underfoot comfort.

Sizing: Children 3c-8, 9-13, 1-3 Codes: FTR203 - FTR216





### Viking work boots

Viking work boots have been developed for a wide range of applications, from general farming to heavy industrial use.

Skellerup's footwear design team has created the Viking range to perform in all conditions and environments demanded by New Zealand industry.

Only components and raw materials specifically tested and proven are incorporated in the construction of Viking work boots.





### Viking 200

Hard wearing full grain leather upper; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for better shape retention; lightweight, hard wearing TPU outsole.

**Sizing:** 7-12 Codes: FBS107 - FBS112



### Viking 400

Hard wearing full grain leather upper, padded and lined for additional comfort; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for better shape retention; lightweight, hard wearing TPU outsole.

**Sizing:** 5-13 Codes: FBS405 - FBS413



### Viking 200 Safety

The same hard wearing features as Viking 200 but with an internal steel toe for additional protection.

Standards: EN ISO 20345

**Sizing:** 4-13 Codes: FBS204 - FBS213



### Viking 400 Safety

The same hard wearing features as Viking 400 but with an internal steel toe for additional protection.

Standards: EN ISO 20345

**Sizing:** 4-13 Codes: FBS504 - FBS513

### **VIKING WORK BOOTS**




### Superfleece 3 pack

Ideal for use in work boots. High levels of comfort and cushioning; external nylon plating for stretch and durability; heavyweight sole padding.

**Sizing:** 2-5, 6-10, 11-13

Codes: Donkey FMS236, FMS237, FMS235 Navy FMS244, FMS245, FMS243



A combination of beeswax, tanners neatsfoot oil and metal stearate; actively retains the original character of the leather.

Code: FSC777



Made in New Zealand from premium grade materials; available in 3 lengths.

Codes: 150cm FML150, 180cm FML125, 240cm FML240



### Red Band® Slip On

Hard wearing buffalo leather upper; double layered, high quality memory elastic; dual layer scuff resistant toe guard; removable Red Band comfort innersole; shock absorbing polyurethane midsole; stabilising shank; anti slip, heat, oil and acid resistant rubber outsole.

**Sizing:** 7-14 **Codes:** FIT627 – FIT634



### Red Band® Slip On Safety

The same features as the Red Band Slip On, but with an internal steel toe, penetration resistant midsole and rubber outsole for additional protection.

**Standards:** AS/NZS 2210.3, EN ISO 20345 **Sizing:** 4-14 **Codes:** FIT724 - FIT734



SKELLERUP

**RED BAND** 

**WORK BOOTS** 

# 100% GUARANTEED

NEW FIT

NEW PROTECTION FEATURES

**NEW RUBBER SOLE** 

REDBAND.CO.NZ



### Red Band® Lace Up

Hard wearing buffalo leather upper; padded leather tongue; antimicrobial padded linings; removable Red Band comfort innersole; shock absorbing polyurethane midsole; stabilising shank; hard wearing stippled anti slip, heat, oil and acid resistant rubber outsole.

**Sizing:** 4-14 **Codes:** FIT824 – FIT834



### Red Band® Lace Up Safety

The same features as the Red Band Lace Up, but with an internal steel toe, penetration resistant midsole and rubber outsole for additional protection.

Standards: AS/NZS 2210.3, EN ISO 20345

**Sizing:** 4-14 **Codes:** FIT924 – FIT934

### **RED BAND® WORK BOOTS**







A premium sock with very high levels of comfort and cushioning; incorporates the Elastic Support System (ESS) that locks the sock to the foot.

**Sizing:** 6-10, 11-13 Codes: Khaki FMS114 - FMS115, Navy FMS116 - FMS117



### **Quatro Innersole**

Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support, shock absorbing Politec® heel pads.

Sizing: 3-5, 6-8, 9-11, 12-14 Codes: FMI223, FMI226, FMI229, FMI232



Anatomically designed 8mm polyurethane innersole with arch support for supreme comfort; suitable for all types of footwear.

Sizing: 3-5, 6-8, 9-11, 12-14 Codes: FMI723, FMI726, FMI729, FMI732



### **Great Kiwi Innersole**

10mm felt innersole made in New Zealand from wool for warmth and comfort; ideal for use in gumboots. For women's sizing order two sizes smaller.

**Sizing:** 4-14 Codes: FMI904 - FMI914

### **WORK BOOT ACCESSORIES**



### **Boot Remover**

Designed to aid boot removal; made from durable polypropylene.

Code: FSC775



### **Boot Wax**

A combination of beeswax, tanners neatsfoot oil and metal stearate; actively retains the original character of the leather.

Code: FSC777



### **Boot Laces**

Made in New Zealand from premium grade materials; available in 3 lengths.

Codes: 150cm FML150, 180cm FML125, 240cm FML240



### Schöen Forestry Pro Spiked

Knee height rubber boot with a hard wearing, fire-retardant moulded rubber sole and replaceable spikes for the ultimate in grip; highest international chainsaw protection (Level 4).

Standards: AS/NZS 2210.3, EN ISO 20345, ISO 17249

**Sizing:** 6-14 Codes: FSC956 - FSC964



### Schöen Forestry Pro

All the features of the Schöen Forestry Pro Spiked boot with a hard wearing, moulded fire-retardant 360 SureGrip rubber sole; highest international chainsaw protection (Level 4).

Standards: AS/NZS 2210.3, EN ISO 20345, ISO 17249

**Sizing:** 6-14 Codes: FSC856 - FSC864



### Schöen 1100 Pro Spiked

Waxed full grain leather upper; padded and fully lined; bellows tongue; removable innersole; high abrasion TPU heel and toe protection; extra-wide internal steel toe cap; heavy duty midsole; flat moulded sole with replaceable spikes.

Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249

Codes: FIS526 - FIS533 **Sizing:** 6-13



### Schöen 1100 Pro

All the benefits and performance of the Schöen 1100 Pro Spiked work boot with a moulded rubber outsole providing exceptional all-round grip in forestry.

Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249

Codes: FIS426 - FIS433 **Sizing:** 6-13



#### **Boot Spikes**

To fit Schöen Forestry gumboots and work boots; 60 per bag with key for easy removal and replacement.

Codes: Stainless Steel FSC781, Tungsten Carbide FSC782



### Schöen 1000 Nitro

Designed for maximum performance and protection. High quality, full grain leather upper; heat resistant nitrile rubber outsole (to 300°C contact); penetration resistant midsole and oil resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345 Codes: FJS806 - FJS814 **Sizing:** 6-14

### SCHÖEN

### Levels of protection:

The 4 levels of protection denote different levels of chainsaw resistance. (Refer to table below).

Levels of Protection	Chain Speed (m/s)				
1	20				
2	24				
3	28				
4*	32				

It is recommended to select protective footwear in line with the chainsaw speed. It is important that there is an overlap between the protective material within the footwear and the trousers.

\* Schöen Forestry Pro gumboots are certified to the highest level of protection - Level 4.



We stand for forestry safety



### **Earthtec™ Socks**

Earthtec<sup>™</sup> from Skellerup is a revolutionary, purposespecific sock range - the result of combining leadingedge technology and premium yarn selections to deliver high levels of comfort, resilience, practicality and longevity.

Naturally, wool is the base fibre for Earthtec™ Soft to touch and warm, even when wet, wool's hygroscopic properties allow it to take up moisture in vapour form absorbing a massive 30% of its weight without feeling damp or clammy.



Ideal for year-round use in all types of footwear; all over Merino wool interior loop pile cushioning; nylon plating to the outside for stretch and durability; heavyweight sole padding; nylon

reinforced heel and toe.

Composition: 61% Merino Wool, 37% Nylon,

2% Elastane Colour: Donkey

**Sizing:** 2-5, 6-10, 11-13

Codes: FMS123, FMS124, FMS103





Medium weight sock for work, tramping or casual wear; all over loop piled interior knit: stretch cuff with elastane; nylon reinforced heel, sole and toe.

Composition: 44% Wool, 44% Acrylic, 10%

Nylon, 2% Elastane

Colour: Black, Navy Sizing: 6-10, 11-13 Codes: Black FMS165 - 166,

Navy FMS154 - FMS155



A premium sock with very high levels of comfort and cushioning; incorporates the Elastic Support System (ESS) that locks the sock to the foot; double cuff high stretch 1x1 rib top; heavy sole cushioning; nylon reinforced heel, sole and toe.

Composition: 57% Merino Wool, 38% Nylon,

5% Elastane

Colour: Khaki, Navy Sizing: 6-10, 11-13 Codes: Khaki FMS114 - FMS115,

Navy FMS116 - FMS117



### Red Band® Dress Sock

A fine knit Merino wool sock for everyday business or casual wear; nylon reinforcing for durability; padded sole for underfoot comfort.

Composition: 60% Merino Wool, 19% Lycra,

18% Nylon, 3% Elastane

Colour: Black/Red Sizing: 2-5, 6-10, 11-13

Codes: FMS535 - FMS537

### **WORK BOOT SOCKS**



Ideal for use in work boots. High levels of comfort and cushioning; external nylon plating for stretch and durability; heavyweight sole padding.

Composition: 61% Merino Wool, 37% Nylon, 2% Elastane

Colour: Donkey, Navy Sizing: 2-5, 6-10, 11-13 Codes: Donkey FMS236, FMS237, FMS235 Navy FMS244, FMS245, FMS243



### Marshall 3 pack

Hard wearing work sock with wool blend for warmth, comfort and insulation; elasticated 1x1 rib top; loop pile cushioning throughout for insulation, comfort and protection; smooth toe seam.

Composition: 35% Superwash Wool, 45%

Acrylic, 20% Nylon

Colour: Assorted Sizing: 6-10, 11-13

Codes: FMS325 - FMS326



All purpose, heavyweight knit sock with elastic rib cuff.

Composition: 85% Acrylic, 15% Polyester Colour: Black Sizing: 6-10, 11-13

Codes: FMS221 - FMS222



### GREAT GUMBOOTS DEMAND GREAT SOCKS



### Red Band®

Specifically designed for use with gumboots. All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

Composition: 78% Merino Wool, 19% Nylon, 3% Elastane

Colour: Red/Black Sizing: 2-5, 6-10, 11-13 Codes: FMS510 - FMS512

### Quatro

Ideal for use in insulated boots. Ergonomically designed with the Elastic Support System (ESS) to lock the sock to the foot; Paladin™ protection pad; strategically placed ventilation ribs; wide elastic arch to prevent foot compression; Left and right construction for anatomical fit.

Composition: 64% Merino Wool, 22% Nylon, 14% Elastane

Colour: Black/Grey Sizing: 2-5, 6-10, 11-13 Codes: FMS500 - FMS502

### **GUMBOOT SOCKS**



Specifically designed for use with gumboots. All over cushion knit comfort. Strategically positioned ESS to prevent sock ride down.

Composition: 78% Merino Wool, 19% Nylon,

3% Elastane

Colour: Red/Black Sizing: 2-5, 6-10, 11-13 Codes: FMS527, FMS525, FMS526



Ideal for use in insulated boots. Ergonomically designed with the ESS to prevent sock ride down.

Composition: 64% Merino Wool, 22% Nylon,

14% Elastane Colour: Black/Grey **Sizing:** 2-5, 6-10, 11-13 Codes: FMS520, FMS523, FMS524



Internal cushion knit comfort provides luxurious support; high stretch cuff for ease of movement; full cushioning throughout.

Composition: 40% Wool, 40% Acrylic, 18%

Polyester, 2% Elastane

Colour: Red/Black Sizing: 5-8, 9-12, 13-3 Codes: FMS515, FMS513, FMS514



# WWW.REDBAND.CO.NZ





# THE PERFECT FIT FOR SUMMER.

Whatever you get up to this summer, don't waste time with shoes – slip on a new pair of Red Bandals.

RED BANDAL SIZE GUIDE									
AD	ULTS	CHIL	DREN	JUNIOR					
SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)				
3	240	10C	187	5/6	153				
4	247	11C	193	7/8	167				
5	253	12C	200	9/10	180				
6	267	1C	207						
7	273	2C	213						
8	280	3C	220						
9	287								
10	293								
11	300								
12	307								
13	313								
14	320								



#### **Red Bandals**

The ultimate in summer footwear; made from high quality rubber.

 Sizing
 Codes:

 Adults: 3-14
 FRJ103 - FRJ114

 Children: 10C -12C,1C-3C
 FRJ010 - FRJ015

 Junior: 5/6 (5J), 7/8 (7J), 9/10 (9J)
 FRJ005 - FRJ009



#### Red Band® NZ Children's T Shirt

Regular fitting crew neck 180 gsm t shirt. Made from 100% super soft combed cotton.

**Sizing:** 1-2, 4-6, 8-10, 12-14 **Codes:** FCP208 – FCP211



#### Red Band® Children's Bucket Hat

Made from 100% cotton. Elasticated rear drawstring.

Sizing: One Size Fits Most Codes: FCP105

### **RED BANDALS**









### Red Band® Slang T Shirt

Regular fitting, lightweight crew neck 180 gsm t shirt. Made from 100% super soft combed cotton. Pre-shrunk to minimise shrinkage. Side-seamed for a tailored cut.

Colour: Grey Marle

Sizing: S – 5XL Codes: FCP218 – FCP225



### Red Band® Slang T Shirt

Regular fitting, lightweight crew neck 180 gsm t shirt. Made from 100% super soft combed cotton. Pre-shrunk to minimise shrinkage. Side-seamed for a tailored cut.

Colour: Black

Sizing: S - 5XL Codes: FCP226 - FCP233



### Red Band® Keepin' it Rural T Shirt

Regular fitting, lightweight crew neck 180 gsm t shirt. Made from 100% super soft combed cotton. Pre-shrunk to minimise shrinkage. Side-seamed for a tailored cut.

Colour: Charcoal

Sizing: S - 5XL Codes: FCP234 - FCP241



#### Red Band® Gumboot NZ T Shirt

Regular fitting, lightweight crew neck 180 gsm t shirt. Made from 100% super soft combed cotton. Pre-shrunk to minimise shrinkage. Side-seamed for a tailored cut.

Colour: Charcoal

Sizing: S – 5XL Codes: FCP242 – FCP249



#### Red Band® Singlet

Generous fitting unisex singlet. Made from 100% cotton with customised trim.

Sizing: XS - 5XL

Codes: FCP400 – FCP407



### Red Band® NZ T Shirt

Unisex t shirt, made from 100% combed cotton.

Sizing: S - 3XL

Codes: FCP212 - FCP217



### Red Band® Hoodie

Generous fit; made from premium 360gsm anti-pill, pre-shrunk fabric; customised hood lining; pouch pocket and full length metal zip.

Sizing: XS - 2XL

Codes: FCP505, FCP500 - FCP504



### **CLOTHING**



**Quatro Thermal** 


Super soft Unisex thermal. Made from 100% polypropylene.

Sizing: S - 3XL

Codes: FCP301 - FCP306

In the interests of product development, Skellerup reserves the right to alter product specifications and features without notice.

### **HOW WE MEASURE**



RED BAND ADULTS' T SHIRT										
Size (cm)	S	M	L	XL	2XL	3XL	4XL	5XL		
Chest Width	47	52	56	61	64	68	75	80		
Body Length	71	75	78	82	83	85	87	89		

RED BAND RUGBY JERSEY										
Size (cm)	S	M	L	XL	2XL	3XL				
Chest Width	54	56.5	59	61.5	64	65				
Body Length	73	75	77	79	80	81				

RED BAND CHILDREN'S T SHIRT										
Size (cm)	Size 1-2	Size 4-6	Size 8-10	Size 12-14						
Chest Width	36	40	42	46						
Body Length	48	52	54	58						

RED BAND SINGLET									
Size (cm)	XS	S	M	L	XL	2XL	3XL	5XL	
Chest Width	45	48.5	51	53.5	56	58.5	61	63.5	
Body Length	69	72	73	74	75	76	77	78	

RED BAND HOODIE										
Size (cm)	XS	S	M	L	XL	2XL	3XL			
1/2 Chest Width	48	51	54	57	60	63	66			
Body Length	68	70	72	74	75.5	75.5	75.5			
Sleeve Length	66	66	69	69	69	69	69			

QUATRO THERMAL										
Size (cm)	S	M	L	XL	2XL	3XL				
Chest Width	40	42	45	46.5	50	53				
Body Length	70	73	77	79	83	85				

### **PRODUCT SPECIFICATIONS** SOLE CONSTRUCTION SOLE Material STYLE SAFETY FEATURES SOLE RESISTANCE STANDARDS FIT Oil & Acid **Ashley Safety Viking Safety** Quatro Safety Non Insulated Quatro Safety Insulated Schöen Forestry Pro Viking 200 Viking 400 Red Band® Slip On Red Band® Lace Up Schöen 1000 Nitro Schöen 1100 Pro

<sup>\*</sup> Chemical Resistance - Sole is tested to the requirements of EN 13832 for this component. For further information on any of the product features or products not listed contact Skellerup Customer Services on 0800 475 355

	FOOTWEAR SIZE GUIDE*										
MEN'S G	MEN'S GUMBOOTS WOMEN'S/YOUTH GUMBOOTS		CHILDREN'S GUMBOOTS**		JUNIOR GUMBOOTS		MEN'S WORK BOOTS		SCHÖEN 1100 PRO Work Boots		
SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)
4	242	3	219	9	161	3c	125	4	237	6	251
5	250	4	230	10	170	4	132	5	244	7	260
6	258	5	237	11	178	5	139	6	253	8	268
7	265	6	248	12	187	6	146	7	261	9	277
8	274	7	255	13	195	7	153	8	271	10	285
9	284	8	263	1	203	8	160	9	280	11	294
10	292	9	270	2	210	9	180	10	290	12	302
11	300					10	187	11	299	13	310
12	309					11	194	12	309		
13	317					12	201	13	318		
14	326					13	208	14	327		
15	334					1	212				
						2	220				
						3	227				

Please note these measurements relate to length only and do not take into account varying widths.

Red Band Children's style only.



Skellerup Industries Limited Private Bag 4736, Christchurch 8140

**Customer Service: 0800 475 355** 

Phone: 03 389 9189

Email: info@skellerup.co.nz





