

2017 FOOTWEAR RANGE



Proven Reliability and Performance in Footwear www.skellerup.co.nz





The original Kiwi icon; mid-calf length boot with cleated sole; built-in rubber foam cushioned innersole.

Codes: FRR104 - FRR114 Sizing: 4-14



4x4 Power

High performance calf length boot built for extra comfort and protection; removable cushioned PU innersole; ribbed protection panels; mud grip sole. **Sizing:** 4-13



Quatro Insulated Calf

Ergonomically designed to lock in the foot and prevent heel slip; fully clad UV resistant natural rubber upper; elasticated top bind; 4mm CR-foam insulation; Quatro Comfort System innersole; cushioned rubber midsole; high abrasion cupped rubber outsole with tapered mud-release cleats. Codes: FRQ202 - FRQ214 Sizing: 2-14



Skellerup gumboots are hand built using natural rubber formulations developed specifically for New Zealand conditions, unlike injection moulded plastic gumboots. They offer heat resistant rubber soles, excellent slip and puncture resistance, are custom designed for a specific fit and are suited to a range of applications and climates.

www.skellerup.co.nz

Waterproof Footwear

Skellerup has been supplying New Zealand industry with high quality, genuine, hand lasted footwear for over 70 years. Ever since New Zealand's first rubber gumboot, the original "Marathon" emerged from the vulcaniser on September 9, 1943, Skellerup has set about creating a standard for waterproof footwear, not just here but around the world.

Skellerup gumboots are all hand made to exacting specifications

Every Skellerup boot is assembled by hand incorporating on average 30 components and four rubber formulations, before the finished product is vulcanised using heat and pressure. And to ensure comfort and compatibility with local conditions, all our boots are shaped to match typical New Zealand feet.



Ashley

waterproof tongue gusset; built-in rubber foam cushioned innersole; calendered sole.

Sizing: 5-13

Codes: FRF004 - FRF013



Ashley Safety

Mid-calf length lace-up rubber boot; waterproof tongue gusset; steel toe and oil and acid resistant moulded sole. Standards: AS/NZS 2210.3

Codes: FSA525 - FSA533 Sizing: 5-13



Quatro Safety Insulated Calf

High Spec. Protection and Performance. Proven UV resistant rubber shell; Quatro ComfortForm steel toecap; hard wearing anti-bacterial moisture wicking lining; penetration resistant midsole; 360 SureGrip nitrile rubber and electrical hazard resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345, ASTM F2413-11 Codes: FQS506P - FQS513P Sizing: 6-13

CALF GUMBOOTS



Mid-calf length lace-up rubber boot;

Codes: FRA155 - FRA163



Hiker

Ankle height lace-up rubber boot; waterproof padded tongue; built-in rubber foam cushioned innersole; "Octopus" suction grip sole.

Sizing: 4-12

Codes: FRL124 - FRL132





Orthotic Innersole

Anatomically designed 8mm polyurethane innersole with arch support for supreme comfort; minimises foot and joint pain from prolonged standing on hard surfaces; suitable for all types of footwear. Sizing: 3-5, 6-8, 9-11, 12-14

Codes: FMI723, FMI726, FMI729, FMI732



Boot Remover

Designed to aid boot removal; made from durable polypropylene.



Quatro Innersole

Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support, shock absorbing Politec[®] heel pads.

Sizing: 3-5, 6-8, 9-11, 12-14 Codes: FMI223, FMI226, FMI229, FMI232



6mm felt innersole made in New Zealand from wool for warmth and comfort; ideal for use in gumboots. For women's sizing order two sizes smaller.

Codes: FMI904 - FMI914 Sizing: 4-14



Quatro Insulated Knee

Tall style of the Quatro Insulated Calf with the same features of warmth, comfort and cushioning. Ergonomically designed to lock in the foot and prevent heel slip.

Sizing: 4-14 Codes: FRQ304 - FRQ314



Quatro Light

UV resistant natural rubber upper; lightweight, fast-drying, anti-microbial and anti-fungal lining; high abrasion resistant, cupped rubber outsole with tapered mudrelease cleats; second band for trimming to calf length. Sizing: 2-14



4x4 Marathon

with the same added comfort and protection. Removable cushioned PU innersole. Sizing: 4-13

Code: FSC775

ACCESSORIES



Quatro 2 pack

Ideal for use in insulated boots, ergonomically designed with the Elastic Support System (ESS) to prevent sock ride down.

Sizing: 2-5, 6-10, 11-13 Codes: FMS520, FMS523, FMS524



Red Band[®] 2 pack

All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

Sizing: 2-5, 6-10, 11-13 Codes: FMS527, FMS525, FMS526



Specifically designed for use with gumboots. Strategically positioned Elastic Support System (ESS) to prevent sock ride down.

Sizing: 2-5, 6-10, 11-13 Codes: FMS510 - FMS512



Perth

innersole.

Sizing: 4-15

All Skellerup safety footwear is approved to International standards and many products carry multiple certifications.

Like the Red Band, a proven performer;

Codes: FRP124 - FRP135

tall knee-length boot with a cleated

sole; built-in rubber foam cushioned

Innovation and Design

Innovation is a key focus in producing reliable products that deliver the performance demanded by the ever-changing environments and needs of our customers. This has resulted in Skellerup winning several prestigious design awards over the years.



Codes: FRQ722 - FRQ734

Tall knee-length style of the 4x4 Power

Codes: FRF104 - FRF113



Quatro Safety Insulated Knee

Tall style of the Quatro Safety Insulated Calf with full foam insulation; penetration resistant steel midsole; oil, acid, heat and electrical hazard resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345, ASTM F2413-11

Sizing: 6-13 Codes: FQS606P - FQS613P



Viking Safety

Hard-wearing knee length boot with leg trimming guide; anti-microbial lining; steel toe; anti-slip, oil and acid resistant nitrile rubber sole. Standards: AS/NZS 2210.3

Codes: FVS105 - FVS114 Sizing: 5-14

KNEE GUMBOOTS



Fire Fighter Extreme

Type 3 structural rubber Firefighting boot, the Firefighter Extreme provides unrivalled protection, assurance and comfort.

Standards: AS/NZS 2210.3, AS/NZS 4821 Codes: FSF803 - FQSF815 Sizing: 3-15





Red Band® Women/Youth

Incorporating all the features and benefits of the original Red Band but made for more slender feet; mid-calf length, with a cleated sole; built-in rubber foam cushioned innersole.

Codes: FRR203 - FRR209 Sizing: 3-9

Red Band® Children



All the features and benefits of the original Perth boot, for smaller feet; knee length, with a cleated sole; built-in rubber foam cushioned innersole.

Codes: FRY143 - FRY148 Sizing: 3-8

Children's Pink

comfort.

Lightweight, fast-drying linings and 3mm

sponge foam innersole for underfoot

Sizing: Children 3c-8, 9-13, 1-3 **Codes:** FTP203 – FTP2016

www.redband.co.nz

WOMEN'S, YOUTH & CHILDREN'S GUMBOOTS



Children's Red

Textured upper, lightweight, fast-drying linings and 3mm sponge foam innersole for underfoot comfort.

Sizing: Children 3c-8, 9-13, 1-3 Codes: FTR203 - FTR2016

Red Band® Family

When you're serious about keeping your whole family's feet warm and dry, you need a pair of serious gumboots.

Real, no nonsense, work-a-lifetime Red Bands. The boots that helped Kiwis take care of this land for generations.

REDBAND.CO.NZ







ultra lightweight.



Incorporating all the features of the original Red Band. Built specifically to suit children's feet and calves.

Sizing: Children 9-2 Codes: FRR009 - FRR015



Red Band® Junior

Lightweight construction and a low heel provide extra stability for younger children; quick drying polyester lining and 3mm sponge foam innersole.

Sizing: Children 3c-8 Codes: FRR003-FRR008



Terranova Women/Youth A general-purpose rubber boot for all the odd jobs around the farm; knee length;

Codes: FRT186 - FRT192



Terranova Children

The same lightweight features of the Terranova Women/Youth, in a smaller size.

Sizing: Children 10-2 Codes: FRT180 - FRT185





Red Band® Children's

Internal cushion knit comfort provides luxurious support; high stretch cuff for ease of movement; full cushioning throughout.

Sizing: 5-8, 9-12, 13-3 Codes: FMS515, FMS513, FMS514



Viking workboots

Viking workboots have been developed for a wide range of applications, from general farming to heavy industrial use.

Skellerup's footwear design team has created the Viking range to perform in all conditions and environments demanded by New Zealand industry.

Only components and raw materials specifically tested and proven are incorporated in the construction of Viking workboots.



Hard wearing full grain leather upper; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for increased shape retention; lightweight, hard wearing TPU outsole.

Sizing: 4-13 Codes: FBS104 - FBS113



Viking 400

Hard wearing full grain leather upper, padded and lined for additional comfort; shock absorbing PU midsole and steel shank; thermoplastic heel and toe stiffener for increased shape retention; lightweight, hard wearing TPU outsole.

Sizing: 4-13 Codes: FBS404 - FBS413



The same hard wearing features as Viking 200 but with an internal steel toe for additional protection.

Standards: EN ISO 20345 Codes: FBS204 - FBS213 Sizing: 4-13



Viking 400 Safety

The same hard wearing features as Viking 400 but with an internal steel toe for additional protection.

Standards: EN ISO 20345 Codes: FBS504 - FBS513 Sizing: 4-13



Red Band® Slip On

Red Band® Lace Up

Sizing: 4-14

Hard wearing buffalo leather upper; double layered, high quality memory elastic; twin layer scuff-resistant toe guard; removable Red Band comfort innersole; shock absorbing polyurethane midsole; stabilising shank; anti slip, heat, oil, acid and electrical hazard resistant rubber outsole.

Sizing: 4-14 Codes: FIT624 - FIT634

Hard wearing buffalo leather upper; padded

leather tongue; antimicrobial padded

linings; removable Red Band comfort

stippled anti slip, heat, oil, acid and electrical hazard resistant rubber outsole.

innersole; shock absorbing polyurethane

midsole; stabilising shank; hard wearing

GUARANTEED

Codes: FIT824 - FIT834



Red Band® Slip On Safety

The same features as the Red Band Slip On, but with an internal steel toe, penetration resistant midsole and electrical hazard resistant rubber outsole for additional protection.

Standards: AS/NZS 2210.3, EN ISO 20345, ASTM F2413-11 Codes: FIT724 - FIT734 Sizing: 4-14



Red Band® Lace Up Safety

The same features as the Red Band Lace Up, but with an internal steel toe, penetration resistant midsole and electrical hazard resistant rubber outsole for additional protection.

Standards: AS/NZS 2210.3, EN ISO 20345, ASTM F2413-11 Sizing: 4-14 Codes: FIT924 - FIT934

VIKING WORKBOOTS



Superfleece 3 pack

Ideal for use in workboots. High levels of comfort and cushioning; external nylon plating for stretch and durability; heavyweight sole padding. Sizing: 7-8, 9-10, 11-13 Codes: Donkey FMS233 - FMS235, Navy FMS241 - FMS243



A combination of beeswax, tanners neatsfoot oil and metal stearate; actively retains the original character of the leather.

Code: FSC777




Made in New Zealand from premium grade materials; available in 3 lengths.


Codes: 150cm FML150, 180cm FML125, 240cm FMI 240



REDBAND.CO.NZ

RED BAND® WORKBOOTS





RED BAND



NEW FIT PROTECTION FEATURES NEW **NEW RUBBER SOLE**





Ultimate

A premium sock with very high levels of comfort and cushioning; incorporates the Elastic Support System (ESS) that locks the sock to the foot.

Sizing: 6-10, 11-13 Codes: Khaki FMS114 - FMS115, Navy FMS116 - FMS117



Maximising underfoot comfort: breathable, anti-bacterial, odour resistant, moisture wicking, built in heel and arch support,

shock absorbing Politec[®] heel pads. **Sizing:** 3-5, 6-8, 9-11, 12-14 Codes: FMI223, FMI226, FMI229, FMI232



Anatomically designed 8mm polyurethane innersole with arch support for supreme comfort; suitable for all types of footwear.

Sizing: 3-5, 6-8, 9-11, 12-14 Codes: FMI723, FMI726, FMI729, FMI732



6mm felt innersole made in New Zealand from wool for warmth and comfort; ideal for use in gumboots. For women's sizing order two sizes smaller.

Codes: FMI904 - FMI914 Sizing: 4-14



Schöen Forestry Pro Spiked

Knee height rubber boot with a hard wearing, fire-retardant rubber, flat moulded sole and replaceable spikes for the ultimate in grip; highest international chainsaw protection (Level 4).

Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249 Codes: FSC956 - FSC964 Sizing: 6-14



Schöen Forestry Pro

All the features of the Schöen Forestry Pro Spiked boot with a hard wearing, moulded fire-retardant 360 SureGrip rubber sole; highest international chainsaw protection (Level 4). Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249 Codes: FSC856 - FSC864 Sizing: 6-14



Schöen 1100 Pro Spiked

Waxed full grain leather upper; padded and fully lined; high quality bellows tongue; removable innersole; high abrasion TPU heel and toe protection; extra-wide internal steel toe cap; heavy duty midsole; flat moulded sole with replaceable spikes.

Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249 Codes: FIS506 - FIS513 Sizing: 6-13



Schöen 1100 Pro

Schöen 1100 Pro Spiked work boot with a moulded nitrile rubber outsole providing exceptional all-round grip in forestry.

Standards: AS/NZS 2210.3, EN ISO 20345, EN ISO 17249 Sizing: 6-13

WORKBOOT ACCESSORIES



Boot Remover

Designed to aid boot removal; made from durable polypropylene.

Code: FSC775



A combination of beeswax, tanners

neatsfoot oil and metal stearate; actively retains the original character of the leather.

Code: FSC777



Made in New Zealand from premium grade materials; available in 3 lengths.

Codes: 150cm FML150, 180cm FML125, 240cm FML240

Levels of protection:

The 4 levels of protection denote different levels of chainsaw resistance. (Refer to table below).

Levels of Protection	Chain Speed (m/s)
1	20
2	24
3	28
4*	32

It is recommended to select protective footwear in line with the chainsaw speed. It is important that there is an overlap between the protective material within the footwear and the trousers.

* Schöen Forestry Pro gumboots are certified to the highest level of protection - Level 4.



All the benefits and performance of the

Codes: FIS406 - FIS413



Boot Spikes

To fit Schöen Forestry gumboots and work boots; 60 per bag with key for easy removal and replacement.

Codes: Stainless Steel FSC781, Tungsten Carbide FSC782



Schöen 1000 Nitro

Designed for maximum performance and protection. High quality, full grain leather upper; Heat resistant nitrile rubber outsole (to 300°C contact); ASTM Electrical Hazard Protection; penetration resistant midsole and oil resistant outsole.

Standards: AS/NZS 2210.3, EN ISO 20345, ASTM F2413 Codes: FJS806 - FJS814 Sizing: 6-14

SCHÖEN





Earthtec[™] Socks

Earthtec[™] from Skellerup is a revolutionary, purposespecific sock range - the result of combining leadingedge technology and premium yarn selections to deliver high levels of comfort, resilience, practicality and longevity.

Naturally, wool is the base fibre for Earthtec[™] Soft to touch and warm, even when wet, wool's hygroscopic properties allow it to take up moisture in vapour form absorbing a massive 30% of its weight without feeling damp or clammy.



Superfleece

Ideal for year-round use in all types of footwear; all over Merino wool interior loop pile cushioning; nylon plating to the outside for stretch and durability; heavyweight sole padding; nylon reinforced heel and toe.

Composition: Merino Wool, Nylon, Elastane Colour: Donkey Sizing: 7-8, 9-10, 11-13 Codes: Donkey FMS101 - FMS103,



Medium weight sock for work, tramping or casual wear; all over loop piled interior knit: stretch cuff with elastane: nvlon reinforced heel, sole and toe.

Composition: Wool, Acrylic, Nylon, Elastane Colour: Black, Navy Sizing: 6-10, 11-13 Codes: Black FMS165 - 166, Navy FMS154 - FMS155



A premium sock with very high levels of comfort and cushioning; incorporates the Elastic Support System (ESS) that locks the sock to the foot; double cuff high stretch 1x1 rib top; heavy sole cushioning; nylon reinforced heel, sole and toe. Composition: Merino Wool, Nylon, Elastane Colour: Khaki, Navy Sizing: 6-10, 11-13 Codes: Khaki FMS114 - FMS115, Navy FMS116 - FMS117



A fine knit wool sock for everyday business or casual wear; nylon reinforcing for durability; padded sole for underfoot comfort.

Composition: Wool, Lycra, Nylon, Elastane Colour: Black/Red Sizing: 2-5, 6-10, 11-13 Codes: FMS535 - FMS537

GREAT GUMBOOTS DEMAND GREAT SOCKS

SKELLERUP



Red Band®

Specifically designed for use with gumboots. All over cushion knit comfort; strategically positioned Elastic Support System (ESS) to prevent sock ride down; high leg construction to minimise leg chafing; smooth toe seam.

Composition: Merino Wool, Nylon, Elastane Colour: Red/Black Sizing: 2-5, 6-10, 11-13 Codes: FMS510 - FMS512



WORKBOOT SOCKS



Superfleece 3 pack

12

Ideal for use in workboots. High levels of comfort and cushioning; external nylon plating for stretch and durability; heavyweight sole padding.

Composition: Merino Wool, Nylon, Elastane Colour: Donkey, Navy Sizing: 7-8, 9-10, 11-13 Codes: Donkey FMS233 - FMS235, Navy FMS241 - FMS243



Hard wearing work sock with wool blend for warmth. comfort and insulation: elasticated 1x1 rib top; loop pile cushioning throughout for insulation, comfort and protection; smooth toe seam.

Composition: Superwash Wool, Acrylic, Nylon Colour: Assorted Sizing: 6-10, 11-13 Codes: FMS325 - FMS326



Outdoor 3 pack

All purpose, heavyweight knit sock with elastic rib cuff.

Composition: Acrylic, Polyester Colour: Black Sizing: 6-10, 11-13 Codes: FMS221 - FMS222



Red Band[®] 2 pack

Specifically designed for use with gumboots. All over cushion knit comfort. Strategically positioned ESS to prevent sock ride down.

Composition: Merino Wool, Nylon, Elastane Colour: Red/Black Sizing: 2-5, 6-10, 11-13 Codes: FMS527, FMS525, FMS526



Ideal for use in insulated boots. Ergonomically designed with the ESS to prevent sock ride down.

> Composition: Merino Wool, Nylon, Elastane Colour: Black/Grey Sizing: 2-5, 6-10, 11-13 Codes: FMS520, FMS523, FMS524

Quatro

Ideal for use in insulated boots. Ergonomically designed with the Elastic Support System (ESS) to lock the sock to the foot; strategically placed ventilation ribs to control moisture management; wide elastic arch to prevent foot compression; seamless toe seam.

Composition: Merino Wool, Nylon, Elastane Colour: Black/Grey Sizing: 2-5, 6-10, 11-13 Codes: FMS500 - FMS502



GUMBOOT SOCKS





Red Band® Children's

Internal cushion knit comfort provides luxurious support; high stretch cuff for ease of movement; full cushioning throughout.

Composition: Wool, Acrylic, Polyester, Elastane Colour: Red/Black Sizing: 5-8, 9-12, 13-3 Codes: FMS515, FMS513, FMS514



Red Bandals

The ultimate in summer footwear; made from high quality rubber.

Sizing	Codes:
Adults: 3-14	FRJ103 – FRJ114
Children: 10C -12C,1C-3C	FRJ010 – FRJ015
Junior: 5/6 (5J), 7/8 (7J), 9/10 (9J)	FRJ005 – FRJ009



Red Band® Hoodie

Generous fit; made from premium 360gsm anti-pill, pre-shrunk fabric; customised hood lining; pouch pocket and full length metal zip. Sizing: XS, S, M, L, XL, 2XL, 3XL Codes: FCP505, FCP500 - FCP504, FCP506

RED BANDAL SIZE GUIDE										
	ADULTS		CHILDREN	JUNIOR						
SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)	SIZE	FOOT LENGTH (mm)					
3	240	100	187	5J	153					
4	247	110	193	7J	167					
5	253	120	200	9J	180					
6	267	10	207							
7	273	20	213							
8	280	30	220							
9	287									
10	293									
11	300									
12	307									
13	313									
14	320									



Red Band® NZ T Shirt Unisex t shirt, made from 100% combed cotton.

Sizing: S, M, L, XL, 2XL, 3XL Codes: FCP212 - FCP217



Red Band® Cap With adjustable Velcro fastener.

Code: FCP100

CLOTHING



Red Band® Beanie Made from 100% wool.

Code: FCP101

14



Quatro Beanie Made from 100% wool. Code: FCP103



Quatro Cap With adjustable Velcro fastener. Code: FCP102

	PRODUCT SPECIFICATIONS																		
STYLE			IT	T SAFETY FEATURES			SOLE SOLE Construction Material			SOLE RESISTANCE				STANDARDS					
		Wide Fit	Extra-Wide Fit	Steel Toecap	Penetration Resistant Midsole	Scuff Guard	Single Density	Dual Density	Goodyear Welt	TPU	Nitrile Rubber	Oil & Acid	Chemical *	Electrical Hazard **	Heat Resistant to 130°C	Heat Resistant to 300°C	AS/NZS 2210	EN ISO 20345	EN ISO 17249
	Ashley Safety		Y	Y			Y				Y	Y				Y	Y		
	Viking Safety																		
Gumboots	Quatro Safety																		
	Quatro Safety Insulated																		
	Schöen Forestry Pro		Y	Y		Y	Y				Y	Y	Y			Y	Y	Y	Y
	Viking 200	Y		Y				Y		Y		Y			Y			Y	
	Viking 400	Y													Y			Y	
boots	Red Band® Slip On																		
Workboots	Red Band® Lace Up																		
	Schöen 1000 Nitro																		
	Schöen 1100 Pro		Y	Y		Y			Y		Y	Y				Y	Y	Y	Y

* Chemical Resistance - Sole is tested to the requirements of EN 13832 for this component.

** Electrical Hazard Resistance - Electrical hazard protections is as per ASTM F2413 and is tested in dry conditions. For further information on any of the product features or products not listed contact Skellerup Customer Services on 0800 475 355

					SIZE	GUIDE	*				
MEN'S	MEN'S GUMBOOTS WOMEN'S/YOUTH Gumboots		CHILDREN'S	GUMBOOTS**	JUNIOR	GUMBOOTS	MEN'S V	VORKBOOTS	SCHÖEN 1100 Workboots		
SIZE	FOOT LENGTH (MM)	SIZE	FOOT LENGTH (MM)	SIZE FOOT LENGTH (MM)		SIZE	FOOT LENGTH (MM)	SIZE	FOOT LENGTH (MM)	SIZE	FOOT LENGTH (MM)
4	242	3	219	9	161	3c	125	4	237	4	
5	250	4	230	10	170	4	132	5	244	5	
6	258	5	237	11	178	5	139	6	253	6	251
7	265	6	248	12	187	6	146	7	261	7	258
8	274	7	255	13	195	7	153	8	271	8	267
9	284	8	263	1	203	8	160	9	280	9	275
10	292	9	270	2	210	9	180	10	290	10	284
11	300					10	187	11	299	11	290
12	309					11	194	12	309	12	300
13	317					12	201	13	318	13	310
14	326					13	208	14	327	14	
15	334					1	212				
						2	220				
						3	227				

* Please note these measurements relate to length only and do not take into account varying widths.

** Red Band and Terranova Children styles only.



Skellerup Industries Limited Private Bag 4736, Christchurch 8140

Customer Service: 0800 475 355 Phone: 03 389 9189

Email: info@skellerup.co.nz www.skellerupfootwear.com